
ACOUSTICAL WALL PANELS

Spec Data Sheet

Architectural Products
S-2100 High Impact Wall Panels



High-impact, abuse resistant
Excellent acoustical performance
Class A fire rated
Standard, designer or C.O.M. fabric

Acoustical Wall Panels by IES – 2000, Inc. are the solution for areas that require noise reduction and are available in a variety of models for various applications. The S-2100 Wall Panel is manufactured to the highest standards and is specifically designed as an impact resistant absorber panel that offers both excellent absorption and high durability. Application for the S-2100 panels includes schools, universities, corridors, offices, airports, churches, restaurants and any area where acoustics and impact resistance is required.

The S-2100 High-Impact Wall Panels are ideal for environments that combine the need for superior acoustical performance and resilience to high traffic areas. S-2100 Panels are constructed using a 6-7# rigid fiberglass absorber core laminated to 16#-20# PCF high-impact underlayment. The edges are chemically hardened and are available in 4 edge profiles. S-2100 panels are available in 5/8", 1-1/8", 1-5/8" and 2-1/8" thickness. S-2100 panels are available in standard or custom-sizes (up to a maximum of 5' x 10') with custom, designer or C.O.M fabric available.



Installation of the S-2100 panels is simplistic using mechanical clips, adhesive or hook & loop. Consult with IES – 2000, Inc. on the best-suited mounting for your specific application.

INPLANT ENVIRO-SYSTEMS 2000, INC.

105 W. Lynn Street, PO Box 770, St Paris, Ohio 43072
Phone: (877)248-8640 Fax :(937)663-0678